

Formerly Used Defense Site Areas



Tags

cleanup site, dod, contamination, hazardous substances

Summary

This entity is supported by the following policy directives and/or indirect drivers: DoDI 4715.14, DoD Manual 4715.20, UFC 2-100-01, DoDI 4715.07.

Description

The facility or site (property) that was under the jurisdiction of the Secretary of Defense and owned by, leased to, or otherwise possessed by the United States at the time of actions leading to contamination by hazardous substances. The FUDS program is limited to those real properties that were transferred from DoD control prior to October 17, 1986. Properties must be located within the United States.

Credits

U.S. Army Corps of Engineers

Use limitations

None.

Extent

West	-178.686913	East	179.771730
North	71.384697	South	-14.355899

Scale Range

Maximum (zoomed in)	1:5,000
Minimum (zoomed out)	1:20,000,000

Topics and Keywords

THEMES OR CATEGORIES OF THE RESOURCE intelligenceMilitary, environment, health

* CONTENT TYPE Downloadable Data

EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

Citation

TITLE Formerly Used Defense Site Areas
CREATION DATE 2020-12-14
PUBLICATION DATE 2023-12-06
PRESENTATION FORMATS * digital map

Citation Contacts

RESPONSIBLE PARTY
INDIVIDUAL'S NAME SDSFIE Online: <http://sdsfieonline.org>
ORGANIZATION'S NAME DISDI Group
CONTACT'S POSITION XML Workspace Generation
CONTACT'S ROLE distributor

Resource Details

DATASET LANGUAGES * English (UNITED STATES)
DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format
STATUS completed
SPATIAL REPRESENTATION TYPE * vector
PROCESSING ENVIRONMENT Esri ArcGIS 13.0.3.36057
CREDITS
U.S. Army Corps of Engineers
ARCGIS ITEM PROPERTIES
* NAME dod_formerly_used_defense_site_poly_231206_v3

Extents

EXTENT
VERTICAL EXTENT
* MINIMUM VALUE 0.000000
* MAXIMUM VALUE 0.000000
EXTENT
GEOGRAPHIC EXTENT
BOUNDING RECTANGLE
EXTENT TYPE Extent used for searching
* WEST LONGITUDE -178.686913
* EAST LONGITUDE 179.771730
* NORTH LATITUDE 71.384697
* SOUTH LATITUDE -14.355899
* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM
* WEST LONGITUDE -19891336.118047
* EAST LONGITUDE 20012097.438062
* SOUTH LATITUDE -1615079.797575
* NORTH LATITUDE 11535109.711279
* EXTENT CONTAINS THE RESOURCE Yes

Resource Points of Contact

POINT OF CONTACT
INDIVIDUAL'S NAME SDSFIE Online: <http://sdsfieonline.org>
ORGANIZATION'S NAME DISDI Group
CONTACT'S POSITION XML Workspace Generation
CONTACT'S ROLE distributor

Resource Maintenance

RESOURCE MAINTENANCE
UPDATE FREQUENCY unknown

Resource Constraints

SECURITY CONSTRAINTS

CLASSIFICATION unclassified
CLASSIFICATION SYSTEM US CAPCO
LIMITATIONS OF USE

None.

LEGAL CONSTRAINTS

ACCESS CONSTRAINTS noRestriction
USE CONSTRAINTS noRestriction

CONSTRAINTS

LIMITATIONS OF USE
None.

Spatial Reference

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_WGS_1984
- * PROJECTION WGS_1984_Web_Mercator_Auxiliary_Sphere
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 102100
X ORIGIN -22041258.62706707
Y ORIGIN -33265068.604224768
XY SCALE 135385249.94349548
Z ORIGIN -100000
Z SCALE 10000
M ORIGIN -100000
M SCALE 10000
XY TOLERANCE 0.001
Z TOLERANCE 0.001
M TOLERANCE 0.001
HIGH PRECISION true
LATEST WELL-KNOWN IDENTIFIER 3857
WELL-KNOWN TEXT PROJCS["WGS_1984_Web_Mercator_Auxiliary_Sphere",GEOGCS
["GCS_WGS_1984",DATUM["D_WGS_1984",SPHEROID
["WGS_1984",6378137.0,298.257223563]],PRIMEM["Greenwich",0.0],UNIT
["Degree",0.0174532925199433]],PROJECTION["Mercator_Auxiliary_Sphere"],PARAMETER
["False_Easting",0.0],PARAMETER["False_Northing",0.0],PARAMETER
["Central_Meridian",0.0],PARAMETER["Standard_Parallel_1",0.0],PARAMETER
["Auxiliary_Sphere_Type",0.0],UNIT["Meter",1.0],AUTHORITY["EPSG",3857]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 3857
- * CODESPACE EPSG
- * VERSION 8.8(9.3.1.2)

Spatial Data Properties

VECTOR

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME dod_formerly_used_defense_site_poly_231206_v3
* OBJECT TYPE composite
* OBJECT COUNT 3000

ARCGIS FEATURE CLASS PROPERTIES

FEATURE CLASS NAME dod_formerly_used_defense_site_poly_231206_v3
* FEATURE TYPE Simple
* GEOMETRY TYPE Polygon
* HAS TOPOLOGY FALSE
* FEATURE COUNT 3000
* SPATIAL INDEX TRUE
* LINEAR REFERENCING TRUE

Lineage

PROCESS STEP

WHEN THE PROCESS OCCURRED 2020-12-14 04:28:43

DESCRIPTION

Schema created by SDSFIE Online: XML Workspace Generation procedure.

RATIONALE

The schema is part of the USACE HQ FUDSMIS 4.0.2.1 adaptation of SDSFIE.

Distribution

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class

Fields

DETAILS FOR OBJECT dod_formerly_used_defense_site_poly_231206_v3

* TYPE Feature Class

* ROW COUNT 3000

* DEFINITION

The facility or site (property) that was under the jurisdiction of the Secretary of Defense and owned by, leased to, or otherwise possessed by the United States at the time of actions leading to contamination by hazardous substances. The FUDS program is limited to those real properties that were transferred from DoD control prior to October 17, 1986. Properties must be located within the United States.

* DEFINITION SOURCE

USACE HQ FUDSMIS 4.0.2.1

FIELD OBJECTID

* ALIAS OBJECTID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

FIELD Shape ►

* ALIAS SHAPE

* DATA TYPE Geometry

* WIDTH 0

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Feature geometry.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Coordinates defining the features.

FIELD **closestCity**

ALIAS Closest City to FUDS

DATA TYPE String

WIDTH 255

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The closest city to the FUDS property.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **congressionalDistrict**

ALIAS Congressional District

DATA TYPE String

WIDTH 2

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The congressional district in which the FUDS property is located.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **county**

ALIAS County Name

DATA TYPE String

WIDTH 255

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The county in which the FUDS property is located.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **currentOwner**

ALIAS Current Property Owner

DATA TYPE String

WIDTH 255

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The current owner of the FUDS property.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **dodFudsPropertyIdpk**

ALIAS Primary Key Identifier

DATA TYPE String

WIDTH 40

PRECISION 0

SCALE 0

FIELD DESCRIPTION

Primary Key. A unique, user defined identifier for each record or instance of an entity.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **eligibility**

ALIAS Eligibility of FUDS Property

DATA TYPE String

WIDTH 10

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The eligibility of the FUDS property.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

LIST OF VALUES

VALUE eligible

DESCRIPTION The property is eligible.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ineligible

DESCRIPTION The property is ineligible.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE tbd

DESCRIPTION Has not been determined at date of record population, and should be revisited at a later date.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

FIELD **emsMgmtActionPlanLink**

ALIAS Link to Executive Management System Management Action Plan

DATA TYPE String

WIDTH 255

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The link to Executive Management System Management Action Plan.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **epaRegion**

ALIAS Environmental Protection Agency Region

DATA TYPE String

WIDTH 255

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The Environmental Protection Agency region in which the FUDS property is located.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **featureDescription**

ALIAS Feature Description

DATA TYPE String

WIDTH 2000

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The narrative describing the feature.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A very long sequence of characters from the ASCII character set.

FIELD **featureName**

ALIAS Feature Name

DATA TYPE String

WIDTH 80

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The common name of the feature.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **fiscalYear**

ALIAS Data Fiscal Year

DATA TYPE Date

WIDTH 0

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The fiscal year of the data, in the format of YYYY.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A date. The value should be in the format "MM/dd/yyyy".

FIELD **fudsInstallationId**

ALIAS FUDS Installation ID

DATA TYPE String

WIDTH 15

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The unique identifier for the FUDS installation.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **fudsUniquePropertyNumber**

ALIAS FUDS Unique Property Number

DATA TYPE String

WIDTH 255

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The FUDS unique property number.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **hasProjects**

ALIAS Does the FUDS Property have projects?

DATA TYPE String

WIDTH 3

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The yes or no indicator of whether the FUDS property has projects.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

LIST OF VALUES

VALUE yes

DESCRIPTION A "yes" value.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

VALUE no

DESCRIPTION A "no" value.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

VALUE tbd

DESCRIPTION The value is yet to be determined.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

FIELD **latitude**

ALIAS Latitude (dd)

DATA TYPE Double

WIDTH 8

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The latitude of the FUDS property point in decimal degrees.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A numeric representation of a number with a fractional part within the approximate range -2.2e308 to 1.8e308.

FIELD **longitude**

ALIAS Longitude (dd)

DATA TYPE Double

WIDTH 8

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The longitude of the FUDS property point in decimal degrees.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A numeric representation of a number with a fractional part within the approximate range -2.2e308 to 1.8e308.

FIELD **mediaId**

ALIAS Media Identifier

DATA TYPE String

WIDTH 40

PRECISION 0

SCALE 0

FIELD DESCRIPTION

Used to link the record to associated multimedia records that reference data.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **metadataId**

ALIAS Metadata Identifier

DATA TYPE String

WIDTH 80

PRECISION 0

SCALE 0

FIELD DESCRIPTION

Used to represent or link to feature level metadata.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD **noFurtherAction**

ALIAS No Further Action

DATA TYPE String

WIDTH 3

PRECISION 0

SCALE 0

FIELD DESCRIPTION

Indicates if no further action is required.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

LIST OF VALUES

VALUE yes

DESCRIPTION A "yes" value.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

VALUE no

DESCRIPTION A "no" value.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

VALUE tbd

DESCRIPTION The value is yet to be determined.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

FIELD **projectRequired**

ALIAS Project Required

DATA TYPE String

WIDTH 3

PRECISION 0

SCALE 0

FIELD DESCRIPTION

Indicates if an investigation or clean up project is required at the site.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

LIST OF VALUES

VALUE yes

DESCRIPTION A "yes" value.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

VALUE no

DESCRIPTION A "no" value.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

VALUE tbd

DESCRIPTION The value is yet to be determined.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE SDSFIE Built-in Yes Or No Enumeration.

FIELD **sdsId**

ALIAS Globally Unique Identifier

DATA TYPE GUID

WIDTH 50

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The unique identifier for all entities in the SDSFIE.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A globally unique identifier.

FIELD siteEligibility

ALIAS Site Eligibility

DATA TYPE String

WIDTH 12

PRECISION 0

SCALE 0

FIELD DESCRIPTION

Abbreviation for the eligibility of the site to be included in the Formerly Used Defense Site (FUDS) program.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD state

ALIAS State or Territory

DATA TYPE String

WIDTH 3

PRECISION 0

SCALE 0

FIELD DESCRIPTION

The state or territory in which the FUDS property is located.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

LIST OF VALUES

VALUE vi

DESCRIPTION Virgin Islands.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE pr

DESCRIPTION Puerto Rico.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mi

DESCRIPTION Michigan

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ri

DESCRIPTION Rhode Island

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE wy
DESCRIPTION Wyoming
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE gu
DESCRIPTION Guam.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE la
DESCRIPTION Louisiana
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ma
DESCRIPTION Massachusetts
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE oh
DESCRIPTION Ohio
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE un
DESCRIPTION unknown
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ut
DESCRIPTION Utah
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE fm
DESCRIPTION Federated States of Micronesia.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mp
DESCRIPTION Northern Mariana Islands.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE um
DESCRIPTION U.S. Minor Outlying Islands.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE al
DESCRIPTION Alabama
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE az
DESCRIPTION Arizona
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE de
DESCRIPTION Delaware
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE id
DESCRIPTION Idaho
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ky
DESCRIPTION Kentucky
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE me
DESCRIPTION Maine
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mn
DESCRIPTION Minnesota
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nc
DESCRIPTION North Carolina
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ne
DESCRIPTION Nebraska
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nm
DESCRIPTION New Mexico
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nv
DESCRIPTION Nevada
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ok
DESCRIPTION Oklahoma
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE or
DESCRIPTION Oregon
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE pa
DESCRIPTION Pennsylvania
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE aa
DESCRIPTION U.S. Armed Forces - Americas.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ap
DESCRIPTION U.S. Armed Forces - Pacific.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ak
DESCRIPTION Alaska
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ar
DESCRIPTION Arkansas
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ca
DESCRIPTION California
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE co
DESCRIPTION Colorado
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ct
DESCRIPTION Connecticut
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE dc
DESCRIPTION District of Columbia
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE es
DESCRIPTION Eastern States
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE fl
DESCRIPTION Florida
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ga
DESCRIPTION Georgia
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ia
DESCRIPTION Iowa
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE il
DESCRIPTION Illinois
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE in
DESCRIPTION Indiana
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ks
DESCRIPTION Kansas
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mo
DESCRIPTION Missouri
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ms
DESCRIPTION Mississippi
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mt
DESCRIPTION Montana
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE na
DESCRIPTION Enumeration (and population of attribute) is not applicable for the particular feature (record).
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nd
DESCRIPTION North Dakota
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nh
DESCRIPTION New Hampshire
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nj
DESCRIPTION New Jersey
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ny
DESCRIPTION New York
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ot
DESCRIPTION other
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE tbd
DESCRIPTION Has not been determined at date of record population, and should be revisited at a later date.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE tx
DESCRIPTION Texas
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE va
DESCRIPTION Virginia
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE vt
DESCRIPTION Vermont
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE wa
DESCRIPTION Washington
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE wi
DESCRIPTION Wisconsin
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE wv
DESCRIPTION West Virginia
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE ae
DESCRIPTION U.S. Armed Forces – Africa, Canada, Europe, and Middle East.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE as
DESCRIPTION American Samoa.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mh
DESCRIPTION Marshall Islands.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE hi
DESCRIPTION Hawaii
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE md
DESCRIPTION Maryland
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE sc
DESCRIPTION South Carolina
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE sd
DESCRIPTION South Dakota
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE tn
DESCRIPTION Tennessee
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE pw
DESCRIPTION Palau.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

FIELD status

ALIAS Property Status
DATA TYPE String
WIDTH 11
PRECISION 0
SCALE 0
FIELD DESCRIPTION
The status of the FUDS property.

DESCRIPTION SOURCE
USACE HQ FUDSMIS 4.0.2.1

LIST OF VALUES

VALUE hasProjects
DESCRIPTION Properties with projects.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE noProjects
DESCRIPTION Properties without projects.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE tbd
DESCRIPTION Has not been determined at date of record population, and should be revisited at a later date.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

FIELD statusCode

ALIAS National Priorities List Status Code
DATA TYPE String
WIDTH 255
PRECISION 0
SCALE 0
FIELD DESCRIPTION
The status code from the National Priorities List.

DESCRIPTION SOURCE
USACE HQ FUDSMIS 4.0.2.1

DESCRIPTION OF VALUES

A sequence of characters from the ASCII character set.

FIELD `usaceDistrict`

ALIAS `USACE District`

DATA TYPE `String`

WIDTH `3`

PRECISION `0`

SCALE `0`

FIELD DESCRIPTION

USACE District in which the property is located.

DESCRIPTION SOURCE

USACE HQ FUDSMIS 4.0.2.1

LIST OF VALUES

VALUE `nws`

DESCRIPTION Three character code for the Seattle District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `sam`

DESCRIPTION Three character code for the Mobile District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `lre`

DESCRIPTION Three character code for the Detroit District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `nap`

DESCRIPTION Three character code for the Philadelphia District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `sas`

DESCRIPTION Three character code for the Savannah District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `swf`

DESCRIPTION Three character code for the Fort Worth District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `lrb`

DESCRIPTION Three character code for the Buffalo District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `mvk`

DESCRIPTION Three character code for the Vicksburg District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `mvp`

DESCRIPTION Three character code for the St. Paul District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `mvr`

DESCRIPTION Three character code for the Rock Island District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `nao`

DESCRIPTION Three character code for the Norfolk District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE `nwo`

DESCRIPTION Three character code for the Omaha District.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nww
DESCRIPTION Three character code for the Walla Walla District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE swt
DESCRIPTION Three character code for the Tulsa District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE lrl
DESCRIPTION Three character code for the Louisville District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE lrn
DESCRIPTION Three character code for the Nashville District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mvm
DESCRIPTION Three character code for the Memphis District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nab
DESCRIPTION Three character code for the Baltimore District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nae
DESCRIPTION Three character code for the New England District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nan
DESCRIPTION Three character code for the New York District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nwk
DESCRIPTION Three character code for the Kansas City District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE poa
DESCRIPTION Three character code for the Alaska District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE sac
DESCRIPTION Three character code for the Charleston District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE saj
DESCRIPTION Three character code for the Jacksonville District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE saw
DESCRIPTION Three character code for the Wilmington District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE spa
DESCRIPTION Three character code for the Albuquerque District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE spk
DESCRIPTION Three character code for the Sacramento District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE spl
DESCRIPTION Three character code for the Los Angeles District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE spn
DESCRIPTION Three character code for the San Francisco District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE swl
DESCRIPTION Three character code for the Little Rock District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE lrc
DESCRIPTION Three character code for the Chicago District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE lrh
DESCRIPTION Three character code for the Huntington District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE lrp
DESCRIPTION Three character code for the Pittsburgh District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mvn
DESCRIPTION Three character code for the New Orleans District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE mvs
DESCRIPTION Three character code for the St. Louis District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE nwp
DESCRIPTION Three character code for the Portland District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE poh
DESCRIPTION Three character code for the Honolulu District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE swg
DESCRIPTION Three character code for the Galveston District.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

VALUE tbd
DESCRIPTION Has not been determined at date of record population, and should be revisited at a later date.
ENUMERATED DOMAIN VALUE DEFINITION SOURCE USACE HQ FUDSMIS 4.0.2.1

FIELD usaceDivision

* ALIAS USACE Division
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

FIELD propertyHistory

* ALIAS Property History
* DATA TYPE String
* WIDTH 1000000000
* PRECISION 0
* SCALE 0

FIELD SHAPE_Length

- * ALIAS SHAPE_Length
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Length of feature in internal units.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

FIELD SHAPE_Area

- * ALIAS SHAPE_Area
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Area of feature in internal units squared.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

Metadata Details

- * METADATA LANGUAGE English (UNITED STATES)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format
- METADATA IDENTIFIER 1D0129C2-2344-479E-BE79-B64BA0E3073E
- PARENT IDENTIFIER 5B0EBF58-46D9-4BAC-BDF1-FA8E4082DDB3
- SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
- SCOPE NAME * dataset
- * LAST UPDATE 2024-01-05
- ARCGIS METADATA PROPERTIES
 - METADATA FORMAT ArcGIS 1.0
 - STANDARD OR PROFILE USED TO EDIT METADATA FGDC
 - METADATA STYLE FGDC CSDGM Metadata
 - CREATED IN ARCGIS FOR THE ITEM 2023-12-13
 - LAST MODIFIED IN ARCGIS FOR THE ITEM 2024-01-05
- AUTOMATIC UPDATES
 - HAVE BEEN PERFORMED Yes
 - LAST UPDATE 2024-01-05

Metadata Contacts

- METADATA CONTACT
 - INDIVIDUAL'S NAME SDSFIE Online: <http://sdsfieonline.org>
 - ORGANIZATION'S NAME DISDI Group
 - CONTACT'S POSITION XML Workspace Generation
 - CONTACT'S ROLE distributor

Metadata Maintenance

MAINTENANCE

UPDATE FREQUENCY unknown

Metadata Constraints

SECURITY CONSTRAINTS

CLASSIFICATION unclassified

CLASSIFICATION SYSTEM US CAPCO

LIMITATIONS OF USE

None.

LEGAL CONSTRAINTS

ACCESS CONSTRAINTS noRestriction

USE CONSTRAINTS noRestriction

CONSTRAINTS

LIMITATIONS OF USE

None.